

Can SDQ be used for  
follow up  
&  
how does SDQ change  
over time?



SDQ Workshop – 17<sup>th</sup> of March 2016


Mette Lausten

SFI – The Danish National Centre for Social Research


Research based commissioned work  
which generate research  
... and we include SDQ whenever we can

<b>Age:</b>	<b>3</b>	<b>7</b>	<b>11</b>	<b>13</b>	<b>15</b>	<b>17</b>
<b>BFU</b>		X	X		X	
<b>AFU</b>		X	X		X	
<b>BUD</b>	X	X	X		X	
<b>TABU</b>			X	X	X	X
<b>BAF</b>			X	X	X	X
<b>BAV</b>			X	(X)	X	(X)


# How does SDQ change over time?



# How does SDQ change over time?



# How does SDQ change over time?



# Can SDQ be used for follow up?

## Depressive symptoms as in DAWBA (not as ICD-10)

Percent		Depressive symptoms as 18-year-olds		
		No	Yes	Total
Depressive symptoms as 15-year-olds	No	73	18	91
	Yes	5	4	9
	Total	78	22	100

- High SDQ score age 11
- Victim of bullying at age 11
- Lonely at age 15
- Smoking cannabis at age 15

**Thank you for your attention**

Mette Lausten [mel@sfi.dk](mailto:mel@sfi.dk)

---